

A

**Notice of Allowability**

Application No.

10/667,513

Examiner

Hoai-An D. Nguyen

Applicant(s)

WU ET AL.

Art Unit

2858

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed on 1/20/06.
2. ☒ The allowed claim(s) is/are 1-6, 10, 14, 15 and 22-25.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
 a) ☒ All b) ☐ Some\* c) ☐ None of the:  
 1. ☒ Certified copies of the priority documents have been received.  
 2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  
 (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.  
 (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.  
 Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |   |
|--|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date <u>01/20/2006</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material                                 | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|  | 9. <input type="checkbox"/> Other _____   |

### **DETAILED ACTION**

1. Receipt is acknowledged of the Request for Continued Examination (RCE) along with an IDS filed on January 20, 2006. Claims 1-6, 10, 14, 15 and 22-25 are pending in the application.

### **REASONS FOR ALLOWANCE**

2. Claims 1-6, 10, 14, 15 and 22-25 are allowed.

3. The following is an examiner's statement of reasons for allowance:

With regard to claim 1, the prior art (especially US 6,146,908 A or US 6,480,013 B1 in IDS) does not teach, suggest or render obvious the claimed impedance standard substrate for calibrating a vector network analyzer in combination as claimed including:

- A thru-circuit having two contacts electrically connected to each other and respectively disposed on the first surface and the second surface, wherein the contacts are adapted to electrically connect to the two probes of the vector network analyzer, respectively; and
- At least one of (a) a pair of open-circuits, (b) a pair of short-circuits, and (c) a pair of load- circuits which are disposed on the first surface and the second surface, respectively.

With regard to claim 10, the prior art (especially US 6,146,908 A or US 6,480,013 B1 in IDS) does not teach, suggest or render obvious the claimed method for calibrating a vector network analyzer in combination as claimed including:

- Providing a thru-circuit having two contacts electrically connected to each other and respectively disposed on the first surface and the second surface; and

Art Unit: 2858

- Driving the two probes to be in contact with the at least one of the pair of open-circuits, the pair of short-circuits, and the pair of load-circuits, respectively.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### CONTACT INFORMATION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoai-An D. Nguyen whose telephone number is 571-272-2170. The examiner can normally be reached on M-F (8:00 - 5:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diane Lee can be reached on 571-272-2399. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
**ANJAN DEB**  
**PRIMARY EXAMINER**

Hoai-An D. Nguyen  
Examiner  
Art Unit 2858  
